TRUCK WASH EQUIPMENT





The Lincoln Series Equipment line covers a full range for the Self Serve Industry. Our customized industrial grade car/truck wash equipment offers standard systems for 1 to 12 bays, which can be expanded to fit any wash requirement. We use proven components to provide ultimate quality and reliability for years of trouble free operation.

The Lincoln Series Wash Equipment is designed with only one criteria:

Make it the best self serve wash system possible







TRUCK WASH LAYOUT






CABLE SYSTEM







- Heavy duty 3/16 stainless steel cable
- Heavy duty custom aluminum brackets to accommodate bay size
- Heavy duty cable/hose rollers with swivel
- Adjustable turn buckles for cable tension

360°/180° STAINLESS STEEL COMBINATION BOOM





- Stainless steel fabricated
- 10 foot 180° radius
- 7 foot 360° radius
- Total boom coverage of 34 feet
- Long lasting nylon bearings
- No grease points











- Stainless steel fabricated
- Spring loaded
- Durable





- Aluminum foam brush head with soft bristles, 6' aluminum handle with 3/8" swivel
- Durable shut off or weep HP gun with stainless steel wand and 3/8" HP swivel
- Durable air gun with scratch protector equipped with tire air chuck



IN BAY EQUIPMENT HANGERS





- Stainless steel fabricated
- Durable
- Vacuum hose hanger
- Foam brush hanger

IN BAY VACUUM SYSTEM





- 120 VAC/13amp vac motor
- Removable bucket for easy cleaning
- Durable housing
- No filter bags required
- Optional claws and swivels
- 1 1/2 " durable vac hose
- One central vacuum system available



INSTRUCTION SIGN

WASHING INSTRUCTIONS

WARNING

HIGH PRESSURE IN HAND BEFORE USING.

FLOOR MAY BE SLIPPERY WHEN WET


VACUUM 🔁

Turn sele

Turn selector knob to VACUUM. Remove excess litter from vehicle. DRY VACUUM ONLY!

TIRE CLEANER Turn selector knob to TIRE CLEANER. Soak dry tires with low pressure chemical then rinse.

ENGINE CLEANER



BUG PREP



Turn selector knob to BUG PREP. Apply low pressure chemical to surface area with bugs before soap application.

SOAP



Turn selector knob to SOAP. Wash vehicle with high pressure soap from bottom up.

FOAM BRUSH



Check brush for cleanliness. Turn selector knob to FOAM BRUSH. Use brush gently. Scrub entire vehicle. Return brush to holder.

HOT



Turn selector knob to HOT RINSE.

Rinse from top to bottom.

TURTLE



Turn selector knob to TURTLE WAX. Apply to entire vehicle. Rinse off excess wax.

SPOT FRI RINSE



Turn selector knob to SPOT FREE RINSE.
Apply low pressure spot free rinse to
entire vehicle as last application.

AIR



Turn selector knob to AIR. Blow excess water from doors and locks to avoid freezing.
Use air chuck to inflate tires.

Thank You for your business
PLEASE COME AGAIN!

D.A. LINCOLN PUMP SERVICE and SUPPLY
WINNIPEG, MANITOBA

W W W . D A L I N C O L N . C O M

- Graphic Lexan Wash Instruction Sign
- Customizable to customer options
- Durable and easy to follow
- Can include customer logo/name



- Features stand alone Payment Module
- Accepts Credit Cards, Interac/Debit, Gift/Fleet Cards,
 Mobile Payments and Key Fobs
- No Internet or Communication Cable Required
- Operates off Cellular data
- Counts up Open Transaction (No more Beat the Clock!)
- Double your Revenue
- Electronic Receipt
- Web Based Reporting
- Low Transaction Fees
- LED Dipslay Timer
- Your Carwash Logo on the face plate
- Water Resistant Stainless Steel housing
- Available with 12 Position Rotary Switch or Touch Screen
- Electronic Coin Acceptor, Accepts multiple coins
- D.A. Easy change switch selection decals



D.A. PREMIUM PAYMENT STATION



D.A. RETRO PAYMENT STATION



REMOTE SWITCH BOX



- Waterproof PVC box
- Custom decals
- Green indicator light
- Push to start button
- 8 to 12 position switch





- Sturdy, heavy duty aluminum frame
- Built according to number of bays
- Service friendly and long lasting





- Sturdy, heavy duty aluminum frame
- Built according to number of bays
- Service friendly and long lasting







- General 2011 High Pressure Pump
- Cat 530 High Pressure Pump
- Stainless steel 1/4" 24 VAC solenoids (Wax, Soap etc.)
- WFI Filter bowl
- High pressure adjustable unloader with gauge







- Stainless steel belt guards
- Heavy duty TEFC 5HP or 7.5 HP motors
- 3 phase or single phase
- Heavy duty pulleys, bushings and belts



CONTROL BOX





- ETL/QPS approved control box
- Contactor & overload, external reset
- 24 VAC transformer
- Reliable adjustable timer
- Fuse protected



WATER AND CHEMICAL HOLDING TANKS



- Durable stainless steel construction
- Built to fit customer water and chemical requirements
- 1/2" shut-off valves
- 1/2" stainless steel in line ports



FOAMER SYSTEMS



- Thick foam & sprays 25 feet
- Air pump operated
- 511 chemical proportioner
- Stainless steel tank & panel
- Flow controlled at wand
- High pressure pump not required
- Air required
- City water line required



- Durable 75 foot ½" GP hose
- 3 foot aluminum wand
- Foamer nozzle
- Durable foamer swivel
- Stainless steel hose hanger




- Thick foam & sprays 25 feet
- Accurate chemical injector
- Adjustable unloader
- Stainless steel panel
- Flow controlled at panel
- Operates off of high pressure pump
- Air required



LOW PRESSURE CHEMICAL PANELS



- Durable stainless steel construction
- Reliable air pumps require no power
- Custom built to accommodate number of bays
- Foam Brush, Tire/engine/bug, presoak, ICE
- Easy to adjust air and chemical regulators
- Automatic chemical proportioner





WATER TREATMENT SYSTEMS





SPOT FREE PANELS AND DELIVERY







- Durable stainless steel construction
- 24 VAC solenoids
- Custom built to number of bays
- Maintenance free delivery pump
- 150 P.S.I. or 250 P.S.I. delivery pump



SPOT FREE CONTROL BOX





- ETL/QPS approved control box
- Contactor and overload
- 24 VAC relays
- Fuse protected



SPOT FREE PRODUCTION



- Black Max ultra low energy membranes
- Acrylic flow meters
- Glycerine filled
 S.S. gauges
- Rigid powder coated steel frame
- Stainless steel membrane housings
- Low pressure safety shut-off
- Precision needle control valves
- Full flow pre-filter housing





WATER SOFTENERS





- Simple economic electronic meter demand
- Sized according to soft water demand
- Easy to program and user friendly
- Salt settings in 1 lb. increments
- 12 Volt operation
- Specialty resins employ performance and leading technology
- Designed to use less water and less salt
- Runs quieter and lasts longer



ON DEMAND HOT WATER





- Rinnai wall mount on demand water heater
- Natural Gas
- Push button temperature settings and controls



102 Paramount Rd. Winnipeg, MB R2X 2W3 Office (204)-632-8002 Fax (204)-633-5455

www.dalincoln.com